

SECTION 02880

PART 1 GENERAL

1.01 RELATED WORK

Review Contract Documents for requirements that affect work of this section. Specification sections that directly relate to work of this section include, but are not limited to:

- Section 02200 – Site Preparation
- Section 02542 - Synthetic Grass & Turf
- Section 02790 - Athletic & Recreational Surfaces
- Section 02870 – Site Furnishings
- Section 03300 – Cast in Place Concrete
- Section 11480 - Athletic, Recreational and Therapeutic Equipment

1.02 SUBMITTALS

A. Product Data: Submit manufacturer's product literature, technical specifications, and other data required to demonstrate compliance with specified requirements for all athletic equipment.

1.03 QUALITY ASSURANCE

- A. Fabrication and installation of site improvements by experienced craftsmen with excellent record of performance on completed projects of comparable size, scope, and quality.
- B. All materials, hardware and furnishings shall be new, first quality.

1.04 FIELD MEASUREMENTS

A. Contractor shall verify position and layout of all athletic field equipment. Verify dimensions by field measurements.

1.05 DESCRIPTION

A. Baseball Bases, Home Plate, and Pitching Rubber, Foul Poles, Fence Cap

PART 2 PRODUCTS

2.01 BASEBALL / SOFTBALL PRODUCTS

A. Base; manufacturers and product selections named are provided to establish the minimum standard, and shall be as manufactured by:

SportsEdge® P.O. Box 837 / 259 Murdock Rd. Troutman, NC 28166
PH: 800-334-6057 F: 704-528-0179 Email: info@sportsedge.com

B. COMPONENTS

1. **BASES:** Model# SEBS, Made with heavy duty white rubber cover over high density foam, with welded steel stanchion pan. Include posts, ground anchors, and rubber plugs. 3 per field.

2. **HOME PLATE:** Model SEHP Home Plate with ground anchor. Hard white rubber plate with black beveled edges. 1 per field.

3. **PITCHER'S RUBBER:** Model SEPR Four Way Pitchers Rubber, official 6" x 24", made of solid white rubber with PVC inner core. 1 per field.

4. **FOUL POLES:** Model SE-BBFP-20 shall be manufactured of 3.5" schedule 40 steel with a yellow powder coat finish (20 Ft. models) and shall meet the following criteria as a minimum:

- A. Main Upright: Fabricated of 3.5" O.D. schedule 40 steel pipe with a yellow powder coat finish.
- B. 12' Wing Panel: Steel frame with 11ga. expanded steel fabric, yellow powder coat finish.
- C. Ground Sleeve: Steel, model #SE-FPS-20.

5. **FENCE CAP:** Model SEFC250
- A. 4" diameter slit polyethylene.
 - B. Color: Yellow
 - C. Weather-treated and UV protected.
 - D. Ties: wire ties to be installed every 3 feet, color yellow.

PART 3 EXECUTION

3.01 INSTALLATION OF EQUIPMENT

- A. All athletic equipment shall be installed as recommended with manufacturer's written directions, and as indicated on the drawings.

END OF SECTION