

SECTION 02880

PART 1 GENERAL

1.01 RELATED WORK

Review Contract Documents for requirements that affect work of this section. Specification sections that directly relate to work of this section include, but are not limited to:

- Section 02200 – Site Preparation
- Section 02542 - Synthetic Grass & Turf
- Section 02790 - Athletic & Recreational Surfaces
- Section 02870 – Site Furnishings
- Section 03300 – Cast in Place Concrete
- Section 11480 - Athletic, Recreational and Therapeutic Equipment

1.02 SUBMITTALS

A. Product Data: Submit manufacturer's product literature, technical specifications, and other data required to demonstrate compliance with specified requirements for all athletic equipment.

1.03 QUALITY ASSURANCE

A. Fabrication and installation of site improvements by experienced craftsmen with excellent record of performance on completed projects of comparable size, scope, and quality.
B. All materials, hardware and furnishings shall be new, first quality.

1.04 FIELD MEASUREMENTS

A. Contractor shall verify position and layout of all athletic field equipment. Verify dimensions by field measurements.

1.05 SYSTEM DESCRIPTION

A. Soccer Goals meeting NCAA and NFSHSA specifications, aluminum and steel construction.

PART 2 PRODUCTS

2.01 SOCCER GOALS

A. Base: Shall be model #SE710 as manufactured by: SportsEdge P.O. Box 837 Troutman, NC 28166 Telephone: 800-334-6057, Fax: 704-528-0179, Email: info@sportsedge.com

B. COMPONENTS

SUMMARY: Shall be model #SE710 meeting NCAA and NFSHSA specifications; manufactured with aluminum frame, steel backstays, steel ground bar, and must meet the following criteria as a minimum.

1. Frame;
 - a. 8'H x 24'L x 10'D.
 - b. 2" x 4" rectangular natural aluminum.
3. Backstays: 2" O.D. galvanized steel
2. Ground Bar: 2" O.D. galvanized steel.
3. Ground anchors; (2 per goal)
4. Nets: 4mm braided polypropylene.

PART 3 EXECUTION

3.01 INSTALLATION OF EQUIPMENT

A. All athletic equipment shall be installed as recommended by manufacturer, and as indicated on the drawings.

END OF SECTION