

SportsEdge®

Safety. Quality. Versatility. Esthetics.





BASEBALL / SOFTBALL EQUIPMENT

www.sportsedge.com

TABLE OF CONTENTS

Foul Poles	3
Batting Cages	4 - 5
Backstops	6 - 7
Fence Cap and Fence Guard	8
Diamond Pro® Groundskeeping Products	9
Bases & Pitching Rubbers	10 - 11
Portable Fencing	12
Portable Pitching Mounds	13
Wall and Backstop Padding	14 - 15
Windscreen	16

For outdoor sports construction products, SportsEdge offers designers and contractors a complete package of products for even the most comprehensive jobs. This catalog represents a selection of the best and most popular products used in modern baseball and softball field construction.

SportsEdge manufactures the highest quality products and is also proud to represent and supply the best name brands in the industry.

If there is something you need and you don't see it here, just call us! For specifications and CAD details visit our website www.sportsedge.com
















FOUL POLES


Foul Poles are made of heavy duty steel pipe and consist of lower and upper sections which are bolted together in the field. The lower 8' section incorporates an internal sleeve at the upper end, with the upper section installed over the internal sleeve.

Wing Panels are of a modular design, consisting of expanded metal fabric on a tubular frame. Panels are 13" wide, start at 8' above the playing surface and extend to the top of the pole. The individual panels are bolted to the upper pole section and are secured to each other with splice plates.

The entire Foul Pole assembly is finished in a durable yellow powder-coated finish.

All three sizes are available either as sleeve-type installed in concrete footings or as plate-type surface mount.





SPORTSEDGE® POWERHOUSE BATTING CAGES

PowerHouse Cages are the most durable and safest batting cage available today. The four steel pole design creates an open cage with the net hanging freely so balls stop without rebound. These heavy duty poles can endure high wind loads and other abuse, such as collisions from lawn mowers.



Engineered Frame System


The PowerHouse batting cage frame system includes 8.625" outside diameter structural steel poles coated with the same finish used on the Alaska Pipeline. It has fewer components than typical batting cages and offers clear spans in either direction without significant sag. In order to achieve the proper cable tension, the 16' poles are installed 11.5' above ground, and 4.5' below ground.

Cable Tensioning System


Our cable tensioning system uses galvanized hardware including 3/16" heavy duty galvanized cable, cable clamps, thimble eye nuts, eye bolts, institutional grade threaded rod, and curved washers to ensure that your net will hang properly. The system provides 24" of adjustment for future tightening, if necessary. Because of the strength of the poles, the cable system can be tensioned as much as necessary.

Net

The net is made of HDPE #62 knotless KVX200™ with machine sewn stitched rope borders, top center rib line for height control and corner loops for easy installation. This HDPE net will not absorb water, reducing sag.



Cable Tensioner





Double Cage with Optional Bullpen

With the addition of one pole and a section of net, a bullpen area can be created alongside the single or double batting cage. Any variation or combination of sizes and features is possible with this flexible, modular system.

Standard Sizes

Single 12' H x 14' W x 70' L Baseball Cage	SESBBC-01
Single 12' H x 14' W x 55' L Softball Cage	SESSBC-01
Double (2) 12' H x 14' W x 70' L Baseball Cage	SEDBBC-01
Double (2) 12' H x 14' W x 55' L Softball Cage	SEDSBC-01
Bullpen Option	SEBPBC-01



Custom Cages

Additional custom sizes and configurations are available. Call 800-334-6057 for additional information.


SPORTSEDGE® POWERHOUSE BASEBALL BACKSTOP NET SYSTEMS

SportsEdge PowerHouse Baseball Backstops simplify design, reduce costs and lend a professional appearance to your facility.

The Standard (110 If) and Premier (150 If) Backstop Systems are designed with a simple, four pole layout and net. Both the Standard and Premier models are available in 30 ft or 40 ft heights.

The poles are capped and have lifting rings to assist in installation. Heavy duty cable and hardware attach the individual net sections to the poles, making replacement of old or damaged nets easier and less costly. Standard details represent a design for 90 MPH wind loads. With adjustments to in-ground pole depth and footing size, greater wind loads can be addressed.

Baseball coaches and recreation directors prefer our net backstop systems to chain link fence models for their facilities because of the professional appearance, improved visibility through the net, and reduced ball rebound. And PowerHouse Backstops won't show their age like traditional metal fencing products.





Product Features:

Poles


8-5/8" Diameter Structural Steel Poles for 30' above ground models. 10-3/4" Diameter Structural Steel Poles for 40' above ground models. Premium STRYK 5388 Coating- same as used on the Trans-Alaska Pipeline.

Hardware

Heavy duty 3/16" galvanized cable. Galvanized Steel Carabiners.

Nets

#42 Black Nylon Knotted with 1.75" openings.
Rope border, hand-tied around the entire perimeter.
Individual net for each section for easier handling and reduced costs for future replacement.



Standard Models:


40' x 30' x 40' Pole Layout #SESBSS30 - 30' Height above ground #SESBSS40 - 40' Height above ground

Premier Models:

50' x 40' x 50" Pole Layout #SEDBSS30 - 30' Height above ground #SEDBSS40 - 40' Height above ground



Custom Net Systems



POLY-CAP



Poly-Cap Installer

Cut installation time up to 75%! Install 100' of Poly-Cap in less than 10 minutes. Poly-Cap can be difficult to spread and hard on your hands and knuckles. The installer simplifies installation and avoids injuries by spreading the Poly-Cap and allowing it to close over the fence as you move forward. Solid steel construction.

SE02294......4 lbs.



Poly-Cap is an inexpensive way to add safety, reduce player injuries, increase visibility and beautify any field. Available in the trademarked bright "safety" yellow or forest green. Manufactured with a 20% thicker wall than other brands, creating unequaled durability and UV protection. Poly-Cap features weather-treated and UV-protected, 4 1/2" diameter polyethylene construction that will offer years of protection. Secure Poly-Cap with optional matching ties every 3 feet. Limited 2-year warranty.

Yellow- 100' Roll SE01160	. 35 lbs.
Yellow- 250' Roll SE01162	85 lbs.
Forest Green- 100' Roll SE02373	35 lbs.
Forest Green- 250' Roll SE02372	85 lbs.
Black- 100' Roll SE04450	.35 lbs.
Black- 250' Roll SE04449	.85 lbs.

Fence Cap Ties

Black- SE044511 lb.



"ORIGINAL" FENCE GUARD

Eliminate chain link injuries. Our premium quality protective fence covers offer the highest level of player protection. The professional teardrop shaped profile is easy to install with just one person. 8' long sections can ship via courier saving freight costs. Exterior grade, UV-resistant polyethylene construction is designed to be long lasting. Pre-drilled every 24" and includes ties for securing to the fence. Available in 3 grades of durability to meet any budget. With 6 attractive colors to choose from, coaches can match their school colors, creating a beautiful appearance. Sold in 80' per carton only, please specify color.





Standard Fence Guard

(2 5/8"W x 4" T x 8'L x .07" wall thickness) Our standard construction is designed for excellent player protection and durability at an economical price. 3-year limited warranty. Available in yellow, forest green, red, blue, orange, and white.

80' / carton SE0192333 lbs.



DIAMOND PRO®

TXI / Diamond Pro pioneered the use of expanded shale and clay as an infield conditioner in 1989. The result was immediate - a faster drying, smoother, safer, more consistent playing surface. Today Diamond Pro is a complete line of professional groundskeeping products that satisfy a wide variety of groundskeeping needs.

Red Infield Conditioner

Diamond Pro® Red Infield Conditioner creates a natural look that enhances the appearance of an infield. A vitrified clay (expanded shale and clay) product applied to skinned areas of baseball and softball fields. Diamond Pro® fires its vitrified clay conditioners in a rotary kiln at over 2000° F to produce a premium ceramic substance.





Calcined Clay Drying Agent

A calcined clay product used to quickly dry puddles and muddy conditions. The finer gradation has more surface area to dry the field faster, reducing the chance of rain delays. It will not stick to cleats and is easily incorporated into the infield.





Calcined Clay Top Dressing

Top Dressing has a larger, coarser gradation that increases the durability of the product and is used on the skinned areas of baseball and softball fields to improve drainage. It will not stick to cleats and is easily incorporated into the infield.

SEDPCCTD 50 lb. Bag



Mound / Home Plate Clay & Clay Bricks

Two great products used to construct, repair, and maintain highstress areas including pitcher's mound, bullpen, batter's box, or catcher's box. Both products have higher clay content which provides greater plasticity.



SEDPMHPC (Mound Clay)...... 50 lb. Bag and Bulk Availability SEDPMHPCB (Clay Bricks)4" x 8" x 2.5", 300 Per Pallet



Athletic Field Marking Dust

Perfect for marking all types of athletic fields. Non-toxic, non-burning, and harmless to soil and turf, our Diamond Pro® Athletic Field Marking Dust is produced to meet and exceed professional and NCAA standards.





BASES & PITCHING RUBBERS





JACK CORBETT MLB HOLLYWOOD BASE

The exclusive base of Major League Baseball® for nearly 70 years. Used by all six National Pro Fastpitch Softball clubs. Extended, tapered lip virtually eliminates all edge turn up. Engineered to better withstand bad weather. Includes ultraviolet inhibitors. 1200 lb. of tensile strength prevents most cuts and tears. Comes with 6" stanchions.

12901040 **BBPLS** Single Base 12901010 **BBPL** Set of 3 Bases

HOLLYWOOD IMPACT™ BASE Premium, professional construction with patented chevron design for added support and durability. Patented technology compresses upon impact, reducing risk of ankle, leg, and knee injuries. Comes with 6" stanchions.



PRO-STYLE HOLLYWOOD IMPACT

Same look and feel as the original Jack Corbett® Bases. This base compresses upon impact, reducing stress on players and reducing injuries. Patented chevron design on the underside of the base is unique to the game, providing stability, support, and durability and is vital to the base's ability to compress upon impact. Comes with 6" stanchions.

12903040 **HIBPLS** Single Base 12903010 HIBPL Set of 3 Bases



HIBLS 12902040 Single base

12902010 HIBL Set of 3 bases

HOLLYWOOD IMPACT DOUBLE FIRST BASE

Premium, professional construction wiwth pateneted chevron design for added support and durability. Patented technology compresses upon impact, reducing risk of ankle, leg and knee injuries. Comes with 6" stanchions.

HDB 12902080 1 Double First Base 1 Double First Base, 12902060 H₁BD 2 Impact® Bases



HOLLYWOOD IMPACT

KWIK-RELEASE™ DOUBLE FIRST BASE

All of the same features as found in the Hollywood Impact Kwik-Release Base. Two resistance levels available: Youth and Varsity.

12906070 1 Double First Base, 2 Youth Bases

12906050 1 Double First Base, 2 Varsity Bases

12906060 1 Double First Base



HOLLYWOOD IMPACT® KWIK-RELEASE BASE

Officially recommended base of Babe Ruth League and Cal Ripken Baseball. Patented design compresses upon impact. For additional safety, the top of this base will disengage upon strong enough impact. Two resistance levels available: Youth and Varsity. Bottom waffle-design adds strength and flexibility. Soft orange tabs on the platform hold onto the top of the base but are soft enough for players to slide over. Fully compliant with Little League Rule 1.06.

Youth	Single Base
Youth	Set of 3 Bases
Varsity	Single Base
Varsity	Set of 3 Bases
	Varsity

HOLLYWOOD 4-SIDED PROFESSIONAL PITCHING RUBBER



Ultra-durable, premium molded rubber design. Interior aluminum tube for professional strength.

12909180 BBPB

HOLLYWOOD DUAL STANCHION REMOVABLE PITCHING RUBBER



Easy to remove and relocate for different levels of play. Includes anchor, stanchion and pitching rubber. 18" or 24".

12920706 LBMPR218 18" Dual Stanchion 12920704 LBMPR224 24" Dual Stanchion

REPLACEMENT DUAL GROUND ANCHORS



For 18" & 24" dual stanchion removable pitching rubber.

12920707 18" Replacement Dual Ground Anchor 12920705 24" Replacement Dual Ground Anchor

SCHUTT STEP DOWN PITCHING RUBBER



Durable, economical step down pitching rubber.

12810000 SPR-SDY Youth 4" x 18"

HOLLYWOOD 24" STEP DOWN PITCHING RUBBER





maintenance for upkeep of pitcher's mound.

12909190 SRSLSD 24" Step Down

SCHUTT 4-SIDED PRO PITCHING RUBBER



Interior plastic tube.

12809000 SPR-4SY Youth 4" x 18" 12808500 SPR-4SO Official 6" x 24"

SPIKE INSTALLED PITCHING RUBBER



BASE PLUGS







Colored indicator makes it easy to spot the plugs but won't be hurt by rakes or tractors. Mushroom plugs are a low-cost alternative; easy to use.

12916590 12916532 12916580 Anchor Plugs w/indicators Stanchion Convertor (HIB/33) Mushroom Plugs (BBP-64)

Sold individually Sold Individually Set of 3

GROUND ANCHOR MOUNTS

8" female ground anchor – 1 $\ensuremath{^{3}\!\!\!\!/}\!\!\!\!/"$ square. Cleans easily with Schutt Digout tool.

12916550 BBP-44 Set of 3 anchors



DIGOUT TOOL

Made specifically to clean out ground anchors.

12916610 TRB51 Digout Tool

DIGOUT TOOL



12010010 TREET Bigout 10

HOLLYWOOD MLB PRO STYLE HOME PLATE






imum

strength, suitable for portable or temporary install. Includes 7" stanchion, 5 zinc plated spikes, 1 anchor and 1 plug. 1 $\frac{1}{2}$ " thick.

12807300 SHP-UM Universal Home Plate


SCHUTT BURY-ALL HOME PLATE



Premium all rubber, waterproof construction for ultra durability. No spikes needed for installation.

12807100 SHP-RBA Bury-All Home Plate

SCHUTT PRO HOME PLATE




Rugged, molded rubber construction. Stanchion mounted steel. Ground anchor included.

12807200 SHP-PS Pro Home Plate

SportPanel Portable Outfield Fencing is the outfield fencing of choice for schools, universities, leagues and parks worldwide. These easy to install, lightweight panels (22 lbs. each) install without tools or even an instruction manual. Foam connectors keep panels together and metal wickets secure panel to the ground. A full field can be installed in a few hours. Rotating and configurable legs allow panels to adjust to varying terrain and stack flat for transport and storage. Panels ship fully assembled..... ready-to-play. Just rotate the feet into place and connect with the foam connectors.

SportPanel offers the TECHNOTIP™ Breakaway System......a unique safety feature that protects players from injury by folding flat upon impact. The yellow SAFERAIL™ option adds visibility to the fence, enhancing player's safety and spectator's enjoyment and gives your field a professional stadium look. Add either of these options to standard fence panels.

Options:



Sportpanel Product Specification

Panel Size: 44" H x 126" L (10ft 6in .1) x 2" W

Weight: 22 lbs.

Materials: Frame: UV- resistant PVC

Mesh: UV- protected polypropylene copolymer

Color: Standard: White frame with white or black mesh.

Custom colors available.

SafeRail standard color is vellow.

Custom colors available.

Warranty: 3-year Warranty. Made in the USA.



TRUE PITCH® PORTABLE PITCHING MOUNDS

True Pitch is the only portable game mound approved for use by Little League, Pony League, Babe Ruth and Cal Ripken. These mounds are made of a reinforced fiberglass shell covered with synthetic turf and can be carried by two people. The tapered edge makes a smooth transition to your field. Pitching rubber is included. Use with turf shoes only; not cleats.





Little League and Bambino (Babe Ruth) Games......SETP302

Official Little League Ages 9 -12, Bambino Ages 5 - 12. 6" high, 6'10" wide, 9'2" long, Approx. 180 lbs. Covered with turf.

Official Senior League and Babe Ruth League Games.....SETP600G

Official 10" regulation height. Designed for Senior Leagues and Babe Ruth, 13 - 15 year old and Babe Ruth 16 - 19 year old division. 10" high, 10' wide, 12'6" long, 340 lbs. Covered with turf.

Official Pony League Games.....SETP2028

Official Pony League specifications, ages 12 - 15, suitable for Senior League diamonds with slightly crowned infields, 8" high, 8' wide, 10' long, 220 lbs. Covered with turf.

Official Bronco League and Dixie Youth Baseball Games......SETP2026

Bronco League ages 11 - 12. Official Pony League and Dixie Baseball specifications, 6" high, 8'1" wide, 10'1" long, 200 lbs. Covered with turf.

Full Regulation Game Mound......SETP318G

The 318G is an 18' pitching mound constructed of a fiberglass base covered with your choice of turf options. This mound is constructed according to the dimensions presented in the NCAA rule book and meets all NCAA requirements. The mound is built with interlocking sections that allow for easy shipping, assembly and portability.

EXTERIOR PADDING / WOOD BACKED





RIVERSIDE WPS Padding with Graphics

Four styles to choose from:

WPS..... wood backed padding

PSMS.....wood backed with "L" shaped top

EWM.....non-wood backed / grommets

BSP.....non-wood backed / grommets / 2' wide folding

sections / 2" or 3" thick foam

- 18 oz. coated vinyl with 15 color choices
- Vent holes at bottom of all pads
- Custom sizes available in WPS, PSMS and EWM series padding

Custom Stadium Pad

- 18 oz. coated vinyl, 15 colors
- 2 styles: WPS wood backed and EPM non-wood backed
- · Vent holes in bottoms
- Available in 4 foam grades
- Standard heights from 4' to 8'
- Standard widths from 2' to 4'
- Available with custom graphics
- Custom sizing available


Digital Graphics

- Vibrant, durable digitally printed vinyl
- Unlimited color combinations
- UV resistant





WPS series (above) can be mounted to any chain link fence with Fisher's 3" dia. galvanized steel washers and inserts




EXTERIOR PADDING / NON-WOOD BACKED



Fisher's Exterior Wall Mats and Ball Stop Pads are similar to the wood backed protective pads with the exception that 7/16" OSB is not used. The EWM and BSP series paddings are manufactured from 18 oz. weather resistant, coated vinyl.

The EWM series may be mounted to concrete, brick, wood or any solid surface, but also easily mounts to any chain link fence. The EWM series has grommets for mounting at the top and bottom for solid surfaces (2 strips) and / or top, bottom & middle grommet strips for chain link fences.

18 oz. coated vinyl with 15 color choices 2' x 4' standard width / 4' to 8' standard height Custom sizes and art work available



Rail Padding



SERPG184......48" grommeted SERPG186......72" grommeted SERPG188......96" grommeted SERPG1810.....120" grommeted SERPGSO18....Special Size SETY1.......Pkg. 100 wire ties



Rail Padding Features

1" high density closed cell foam 18 oz. weather resistant vinyl Fits 2" to 3" dia. rail Custom sizing available

TUFFY® BASEBALL WINDSCREEN

CHROMA-BOND® IMPRINTING





WORLD'S TOUGHEST, MOST DURABLE SPORTS WINDSCREEN

Tuffy Windscreen is made of VIPPOL® Matrix, a 10 oz. Mesh that is extremely durable because it contains over 50% more micro-fibers than normal vinyl windscreens. It's virtually tear-proof, and is backed by a 5 year prorated factory warranty. Edging all around is fully wrapped in VIPOL Matrix webbing and the highest quality brass grommets are installed every 12". This extra heavy duty edge construction virtually eliminates the nagging problem of grommets pulling through standard windscreens. Every end and corner is double lock stitch finished to eliminate the unraveling problem of fully chain-stitched windscreens. All of these steps of extra workmanship are crafted into every section of Tuffy Windscreen, giving it unmatched strength and durability.

Available in a vibrant 20 colors:





Home Run Zone™ Windscreen Topper

Add this 4" gold vinyl top edging for any of our windscreen panels. Very clearly shows the fence top to players and umpires. This product is used for appearance only, it does not cover or protect top of fence.



Outfield Distance Markers

Numbers and logos in CHROMA-BOND imprinting on VIPOL Matrix, extremely durable and non-fading. Same 20 colors as TUFFY® Baseball Windscreen.



Tie Wraps

Heavy duty tie wraps to attach all windscreens and netting. 50 lb. breaking strength, 8" length, packages of 100 or 1000.



DISCLAIMER: The customer and the customer's architects, engineers, consultants and other professionals are completely responsible for the selection, installation, and maintenance of any product purchased from ABT, and EXCEPT AS EXPRESSLY PROVIDED IN ABT'S STANDARD WARRANTIES, ABT MAKES NO WARRANTY, EXPRESS OR IMPLIED, AS TO THE SUITABILITY, DESIGN, MERCHANTABILITY, OR FITNESS OF THE PRODUCT FOR CUSTOMER'S APPICATION. Copies of ABT's standard warranties are available upon request.



800.334.6057 www.sportsedge.com