


SportsEdge®

Safety. Quality. Versatility. Esthetics.





SOCCER EQUIPMENT

www.sportsedge.com


SPORTSEDGE® SOCCER GOALS

Superior Design Safer Soccer Goals

Preventing accidental death or serious injury caused by soccer goals tipping over is a major concern, and one that SportsEdge® takes very seriously. When we set out to manufacture our new soccer goals, the safety of children and soccer players was the driving force behind the design. Although **Soccer Goals Should Always Be Anchored**, we set out to design our goals to be as tip resistant as possible in the event the goals were not properly anchored.

Tested per ASTM F2673-08

SportsEdge® SE700 Series soccer goals easily passed this stringent test, and to make the test even more difficult for ourselves, we ran and passed the test without the added weight of our rear mounted wheel kit!



10' DEEP BACKSTAYS

- · Improves stability and counterbalance
- Ground bar can be adjusted to 9'-6" depth
- The addition of the SE751 Wheel Kit extends the depth to 11'-0"
- More stable than goals with 8 9' backstays

NET CLIPS

- Twist-in nylon net clips fit securely and flush into the frame
- Safer than protruding or welded net clips that could snag fingers or the net







REAR MOUNTED WHEEL KIT IMPROVES SAFETY


- Extends counterweight to 11' depth
- Ensures goals are lifted at the front for added safety
- · Wheel assembly frame is steel to maximize the counterweight
- Flat free polyurethane tire for easy mobility and reliability






ALL ALUMINUM FRAME CONSTRUCTION

- 4" Square or 4" round uprights and crossbar
- · Backstays and ground bar
- Entire goal is powder coated white
- Internal 90° "L" corners are cut from one piece of aluminum; not welded!





- · Improves counterbalance
- · Adds stability
- · Adjusts to any depth for use with various offset football goals
- Can be adjusted to 9'6" max depth for soccer only applications Note: SportsEdge always recommends setting the ground bar as far back as possible in each application



OFFICIAL SOCCER GOALS


8'H x 24'W x 10'D Round Crossbar and Uprights...... SE700R 8'H x 24'W x 10'D Square Crossbar and Uprights..... SE700S





YOUTH SOCCER GOALS

7'H x 21'W x 9'-2"D Round Crossbar and Uprights...... SE721R 7'H x 21'W x 9'-2"D Square Crossbar and Uprights...... SE721S



SOCCER GOAL ANCHORING SYSTEMS & COUNTERWEIGHTS

Soccer goal anchors and counterweights aid in preventing accidental tip over of the soccer goals. Please note that serious injuries can occur if soccer goals are not properly anchored.

MULTI USE FIELDS:

The SportsEdge SEF390 Soccer Goal Anchor is designed to be used for multi-use football and soccer field applications. The two 4" wide stainless steel hooks are on either side of the football goal gooseneck and securely anchor the soccer goal bar. The hooks are neatly stowed in the access frame when not in use.



SEF390




SOCCER ONLY FIELDS:

The SportsEdge SEF790 Soccer Goal Anchor system is designed to be used for a stand-alone soccer field. This goal anchor has a single but larger 12.5" wide hook that securely anchors the soccer goal bar. The hook is neatly



SEF790



SE790 - SOCCER GOAL ANCHOR FRAME INSTALLATION DETAIL

SEF390 and SEF790

- No Tools Required!
- Aluminum Frame
- All Aluminum or Stainless Steel Components
- Ratchet/Fastening Assembly is Marine Rated
- Treated Plywood Cutouts/Covers
- Protective Coping

Toll Free: 800-334-6057.....

OTHER ANCHORING METHODS:




SE753 Sand Bag with Tether (holds 40 lbs.)




SOCCER GOALS MUST ALWAYS BE ANCHORED!

SOCCER ACCESSORIES:



SE6B1104 Universal Corner Flag (set of 4)



SE6B504 Official Corner Flag (set of 4)

NETS, NET CLIPS & WHEEL KITS



SE751 Solid Tire Wheel Kit



SE755 3mm HTPP Knotless Net, White



Twist in Nylon Net Clips











DISCLAIMER: The customer and the customer's architects, engineers, consultants and other professionals are completely responsible for the selection, installation, and maintenance of any product purchased from ABT, and EXCEPT AS EXPRESSLY PROVIDED IN ABT'S STANDARD WARRANTIES, ABT MAKES NO WARRANTY, EXPRESS OR IMPLIED, AS TO THE SUITABILITY, DESIGN, MERCHANTABILITY, OR FITNESS OF THE PRODUCT FOR CUSTOMER'S APPLICATION. Copies of ABT's standard warranties are available upon request.



800.334.6057 www.sportsedge.com

